

# Guideline on the exchange of specific assurance information between Infrastructures

## Contents

Scope.....	1
Expression of assurance information.....	2
Rationale for the additional Profiles.....	2
Profiles .....	3
REFEDS RAF Profiles .....	3
Supplementary profiles for Infrastructures .....	4
Implementation notes .....	5

Increasingly Research Infrastructures and generic e-Infrastructures, referred to as Infrastructures henceforth, provide collective and ‘meshed’ services where a business process is composed of service elements from a variety of Infrastructures yet acts as a single coherent service towards the end-user. As part of the user interaction, Infrastructures compose an assurance profile derived from several sources. The assurance elements may come from an institutional identity provider (IdP), from community-provided information sources, from step-up authentication services, and from controls placed upon the user, the community, or the Infrastructure Proxy through either policy or technical enforcement. Knowledge about the upstream source of either identity or authenticator can also influence the risk perception of the Infrastructure and result in a modification of the assurance level, e.g. because it has involved a social identity provider or perhaps a government e-ID. The granularity of this composite assurance profile is attuned to the risk assessment specific to the Infrastructure or Infrastructures, and is often both more fine-grained and more specific than what can reasonably be expressed by generic IdPs or consumed by generic service providers.

Yet it is desirable to exchange as complete as possible the assurance assertion obtained between Infrastructures, so that assurance elements need not be re-asserted or re-computed by a recipient Infrastructure or Infrastructure service provider.

How an Infrastructure determines adherence to an assurance profile beyond the information given herein, or how the composition of assurance elements is to be performed is outside the scope of this document (it is dealt with in AARC2 JRA1.3A)

## Scope

These guidelines SHOULD be used when exchanging assurance information between SP-IdP-Proxy components of Infrastructures (“Infrastructure Proxies”), and MAY be used when conveying assurance information between an SP-IdP-Proxy and service providers that are part of a coordinated set or consortium and bound to one or more Infrastructure Proxies.

## “Exchange of specific assurance information between Infrastructures (scoped)”

These guidelines SHOULD NOT be used without further qualification to convey assurance information between identity providers (IdPs or OPs) and Infrastructure Proxies. In such an exchange, incoming assurance information SHOULD be requested using the assurance profiles and assurance component values defined in the REFEDS Assurance Framework or using the IGTF Assurance Profiles. Which of these is appropriate depends on the use case and the technology, and the definition of such context is outside the scope of this document.

These guidelines SHOULD NOT be used to convey assurance information between Infrastructure Proxies and service providers that are not part of a coordinated consortium that has by itself adopted these guidelines.

## Expression of assurance information

In line with the REFEDS Assurance Framework (RAF), this guideline allows for both a composite assurance value and for assurance component values to be expressed. In the RAF, it is the component values that play the principle role in expressing assurance information, and the composite profiles (“Cappuccino” and “Espresso”, for instance) are the result of a specific combination of assurance components that SHOULD be additionally asserted by the credential service provider (CSP) if they qualify for such a profile.

While this requirement is of significant benefit to the recipient of assurance information, it places some of the burden on the CSP to keep track of the RAF process and change operational behaviour if the set of profiles changes. The component values therefore take precedence in the RAF specification.

This is less of a concern between the (limited) number of Infrastructures and Infrastructure Proxies. Here the simplicity of exchanging a few well-understood profiles carries significant benefit, and allows easier processing of assurance assertions by the participating Infrastructures. Therefore, in these guidelines the Profiles take precedence, and Profiles can be composed both of assurance components that have been previously standardised (e.g. by the RAF or NIST) as well as of other definitions of assurance components (e.g. through 1SCPs or references to other documented profiles).

## Rationale for the additional Profiles

This document defines two additional profile and imports two additional profiles from the IGTF. These profiles can be used next to and in conjunction with the RAF Assurance Profiles, and have been added to address some issues specific to the Infrastructure use cases

- the RAF authenticator assurance relies on the definition of the REFEDS SFA and MFA profiles. Whereas the MFA profile is well understood, the level of authenticator certainty conveyed with the REFEDS SFA profiles follows the minimum acceptable basis for (memorized) secrets under NIST SP800-63B. While appropriate to permit inclusion of as many R&E CSPs as reasonably possible, this is not usually considered sufficient for much of the Infrastructure use without specific compensatory controls.
- The unique identifier specification to be determined by the identifier components should be specified in accordance with AARC2 JRA1.1F
- Additional vetting can be provided by other sources (e.g. a community authority) to raise from incoming “low” authenticator assurance identities or other ‘lower-quality’ identities. If the “medium” authenticator status is a result of additional information provided by the VO the e-Infrastructure should be able to use information from the additional authorities (more

## “Exchange of specific assurance information between Infrastructures (scoped)”

information on combined assurance is in the document AARC2- JRA1.3A) and convey that as an ‘intermediate’ level

- The assertion freshness requirement needs to be contextualise to take into account composite sources (Infrastructure registry, community sources, optionally other end-user technical and policy controls)
- A mechanism is needed to flag at the Infrastructure Proxy identities that are based on social identities, or originate from sources that are otherwise entirely self-managed, in whole or in part. Although in the general case such information might be flagged using entity categories or communities of interest, within the current conveyance mechanism between Infrastructures, the challenge is that the proxy may process and can potentially address some of the issues with the social ID, such as ensuring uniqueness and adding ‘soft’ qualifies around reasonable association with a community or name form.

Since it depends at least in part on the implementation of the proxy, its expression must therefore probably not only be via a profile but it also needs to be accompanied by an implementation specification or identifiable policy or technical controls.

These guidelines extends the REFEDS RAF profiles by adding specific profiles that – although not easily feasible for adoption by the IdPs of the R&E community at large - are current established for Infrastructure risk profiles, and that can be composed by augmenting assurance data from sources available to the Infrastructures (since additional information on origin or on policy-enforced authentication strength) and are thus effective in addressing inter-Infrastructure use cases.

## Profiles

The following profiles may be conveyed as entity assurance values within the scope of this Guideline, subject to the guidance given below.

### REFEDS RAF Profiles

Name	<b>REFEDS RAF Assurance Profile Cappuccino</b>
SAML Identifier	<a href="https://refeds.org/assurance/profile/cappuccino">https://refeds.org/assurance/profile/cappuccino</a>
Other identifier(s)	-
Description	has a unique identifier, identity proofing and credential qualifies substantially to Kantara LoA 2, IGTF BIRCH or CEDAR, or eIDAS low, and can be attained with single-factor authentication according to REFEDS SFA without further constraints. Affiliation information is not older than one month.
MUST	<a href="https://refeds.org/assurance/profile/espresso">https://refeds.org/assurance/profile/espresso</a> <i>and comply fully with REFEDS RAF profile Cappuccino specification</i>
SHOULD	
MAY	

Name	<b>REFEDS RAF Assurance Profile Espresso</b>
SAML Identifier	<a href="https://refeds.org/assurance/profile/espresso">https://refeds.org/assurance/profile/espresso</a>
Other identifier(s)	-
Description	has a unique identifier, identity proofing and credential qualifies substantially to Kantara LoA 3 or eIDAS substantial, and must be attained with multi-factor authentication according to REFEDS MFA, where the multi-factor credential cannot be derived solely from a single-factor. Affiliation information is not older than one month.

## “Exchange of specific assurance information between Infrastructures (scoped)”

MUST	<a href="https://refeds.org/assurance/profile/espresso">https://refeds.org/assurance/profile/espresso</a> <i>and comply fully with REFEDS RAF profile Espresso specification</i>
SHOULD	
MAY	

## Supplementary profiles for Infrastructures

Name	<b>IGTF BIRCH</b>
SAML Identifier	<a href="https://igtf.net/ap/authn-assurance/birch">https://igtf.net/ap/authn-assurance/birch</a>
Other identifier(s)	IGTF-BIRCH urn:oid:1.2.840.113612.5.2.5.2
Description	Persistent non-reassigned identifier, identity proofing based on in-person appearance (current or past), remote vetting with compensatory controls, or Kantara LoA 2 or better. Includes a reasonable verified representation of the real name of the entity, and is secure with a best common practice (27-bit entropy as per NIST SP800-63v2, 2004) single factor or multi-factor authenticator. Identity and authenticator are managed by the CSP.
MUST	<a href="https://igtf.net/ap/authn-assurance/birch">https://igtf.net/ap/authn-assurance/birch</a>
SHOULD	<a href="https://refeds.org/assurance/ID/unique">https://refeds.org/assurance/ID/unique</a> <a href="https://refeds.org/assurance/IAP/low">https://refeds.org/assurance/IAP/low</a> <a href="https://refeds.org/assurance/IAP/medium">https://refeds.org/assurance/IAP/medium</a> <a href="https://refeds.org/profile/sfa">https://refeds.org/profile/sfa</a> (note: one cannot assert MFA since derived MFA is permitted) <a href="https://refeds.org/assurance/ATP/ePA-1m">https://refeds.org/assurance/ATP/ePA-1m</a> <i>the unique identifier SHOULD be specified in compliance with JRA1.1E</i>
MAY	urn:oid:1.2.840.113612.5.2.3.1.2.1 (1SCP IGTF file-protected soft keys) urn:oid:1.2.840.113612.5.4.1.1.1.5 (IGTF PKP Guidelines)

Name	<b>IGTF DOGWOOD</b>
SAML Identifier	<a href="https://igtf.net/ap/authn-assurance/dogwood">https://igtf.net/ap/authn-assurance/dogwood</a>
Other identifier(s)	IGTF-DOGWOOD urn:oid:1.2.840.113612.5.2.5.4
Description	Persistent non-reassigned identifier, identity proofing sufficient to ensure non-reassignment of the identifier for the lifetime of the CSP. May contain marginally-verified real name resemblance or identifiers clearly identifiable as pseudonyms. No anonymous credentials permitted and issuance is traceable at time of issuance. Authenticator is secured according to best common practice (27-bit entropy as per NIST SP800-63v2, 2004) single factor or multi-factor authenticator, or compensatory controls on credential validity period are in place. Identity and authenticator are managed by the CSP.
MUST	<a href="https://igtf.net/ap/authn-assurance/dogwood">https://igtf.net/ap/authn-assurance/dogwood</a>
SHOULD	<a href="https://refeds.org/assurance/ID/unique">https://refeds.org/assurance/ID/unique</a> <a href="https://refeds.org/assurance/IAP/low">https://refeds.org/assurance/IAP/low</a> <a href="https://refeds.org/profile/sfa">https://refeds.org/profile/sfa</a> <a href="https://refeds.org/assurance/ATP/ePA-1m">https://refeds.org/assurance/ATP/ePA-1m</a> <i>the unique identifier SHOULD be specified in compliance with JRA1.1E</i>
MAY	urn:oid:1.2.840.113612.5.2.3.1.2.1 (1SCP IGTF file-protected soft keys) urn:oid:1.2.840.113612.5.4.1.1.1.5 (IGTF PKP Guidelines)

## “Exchange of specific assurance information between Infrastructures (scoped)”

Name	<b>AARC Darjeeling</b>
SAML Identifier	x-https://aarc-project.eu/policy/authn-assurance/darjeeling
Other identifier(s)	AARC-Darjeeling
Description	Substantially equivalent to IGTF-BIRCH, but requiring in addition both REFEDS MFA and good entropy for at least one of the factors.
MUST	x-https://aarc-project.eu/policy/authn-assurance/darjeeling
SHOULD	https://refeds.org/assurance/ID/unique https://refeds.org/assurance/IAP/low https://refeds.org/assurance/IAP/medium https://refeds.org/assurance/ATP/ePA-1m https://refeds.org/profile/mfa <i>the unique identifier SHOULD be specified in compliance with JRA1.1E</i>
MAY	

Name	<b>AARC Assam</b>
SAML Identifier	x-https://aarc-project.eu/policy/authn-assurance/assam
Other identifier(s)	AARC-Assam
Description	Identity substantially derived from social media or self-signup identity provider on which no further policy controls or qualities are placed. Identity proofing and authenticator are substantially derived from upstream CSPs that are not under the control of the Infrastructure. The Infrastructure ensures uniqueness on the identifiers based on proprietary heuristics.
MUST	x-https://aarc-project.eu/policy/authn-assurance/assam
SHOULD	https://refeds.org/assurance/ID/unique <i>the unique identifier SHOULD be specified in compliance with JRA1.1E</i>
MAY	https://refeds.org/assurance/IAP/low

### Implementation notes

All statements should be asserted in a SAML rendering in eduPersonAssurance. The authenticator contexts MFA and SFA values should also be presented in SAML in AuthenticationContextClassRef. See the REFEDS Assurance Framework for discussion.

The ATP assurance component values (e.g. “https://refeds.org/assurance/ATP/ePA-1m”) should be interpreted as meaning that CSPs (or providers of assurance elements to an Infrastructure Proxy that composes assurance) that manage the sources of information (external identity providers, community registries) will take action to correct a status change within one month after they *became aware of* the changes in the user’s status. Communities, but also institutions with long-term student enrolment typically re-evaluate eligibility only on a yearly basis.