



First experiences configuring a perfSONAR mesh in an PRACE MDVPN environment

05.06.2019

Ralph Niederberger

rrn@fzj.de

Forschungszentrum Jülich GmbH




Member of the Helmholtz Association



Forschungszentrum Jülich GmbH at a glance







- Budget: 610 Mio €, including 245 Mio € third party funding 100 Horizon 2020 projects, 420 national projects
- Employees: 5.900 incl. 1.950 scientists including PhD students 800 guest scientists from 75 countries
- Publications: 2.450

(source: fact sheet 2017)



Jülich Supercomputing Centre (JSC)



Facts and Figures

Staff:

220 Total (185 FTE)

160 Scientists

13 PhD Students (+13 external)

Budget:

30 Mio. € Institutional Funding (PoF)15 Mio. € Third Party Funding

Jülich Supercomputing Centre (JSC)

- The Jülich Supercomputing Centre operates supercomputers of the highest performance class.
- It enables scientists and engineers to solve their highly complex problems by simulations.
- Currently, we are part of several EU projects like PRACE, HBP, EOSC-Hub, AENEAS and a lot of others all related to HPC or Big Data.
- So networking is one of the most relevant parts of our job.







PRACE in a few words

- The mission of PRACE (Partnership for Advanced Computing in Europe) is to enable highimpact scientific discovery and engineering research and development across all disciplines to enhance European competitiveness for the benefit of society. PRACE seeks to realize this mission by offering world class computing and data management resources and services through a peer review process.
- PRACE also seeks to strengthen the European users of HPC in industry through various initiatives.
- PRACE has a strong interest in improving energy efficiency of computing systems and reducing their environmental impact.



Hosting Members

- ► France
- ► Germany
- ▶ Italy
- ► Spain
- Switzerland

Observers

- Croatia
- Romania

General Partners (PRACE 2)

- Austria
- Belgium
- Bulgaria
- Cyprus
- Czech Republic
- Denmark
- Finland
- Greece
- Hungary
- Ireland

Israel

- S (PRACE 2)
 ► Luxembourg
 - Netherlands
 - Norway
 - Poland
 - c 🕨 Portugal
 - Slovakia
 - Slovenia
 - Sweden
 - Turkey
 - United Kingdom

. 7.



SWITZERLAND AUSTRIA

PRACE | what we do

- Open access to world-class HPC systems to EU scientists and researchers
- Variety of architectures to support the different scientific communities
- High standards in computational science and engineering
- Peer Review at European level to foster scientific excellence
- Robust and persistent funding scheme for HPC supported by national governments and European Commission (EC)
- Support the development of intellectual property rights (IPR) in Europe by working with industry and public services
- Collaborate with European HPC industrial users and suppliers

PRACE | achievements

- ▶ 688 scientific projects enabled
- >21 000 000 (thousand million) core hours awarded since 2010
- Of which 63% led by another PI nationality than the HM
- R&D access to industrial users with >50 companies supported
- >12 000 people trained through PRACE Training
- ~110 Petaflops of peak performance on 7 world-class systems
- 26 PRACE members, including 5 Hosting Members

(France, Germany, Italy, Spain and Switzerland)

PRACE is the only e-infrastructure Landmark on the ESFRI Roadmap 2016

JUWELS (Module 1): Bull Sequana PRACE Tier-0 Systems in 2018 GAUSS @ FZJ, Jülich, Germany #26 Top 500



MareNostrum: IBM BSC, Barcelona, Spain #25 Top 500



NEW ENTRY 2018 JOLIOT CURIE : Bull Sequana GENCI/CEA, Bruyères-le-Châtel, France #40 Top 500



Piz Daint: Cray XC50 CSCS, Lugano, Switzerland #5 Top 500





IUWELS

NEW ENTRY 2018

NEW ENTRY 2018/2019 SuperMUC NG : Lenovo cluster GAUSS @ LRZ, Garching, Germany #8 Top 500

Hazel Hen: Cray GAUSS/HLRS, Stuttgart, Germany #30 Top 500





Close to 110 Petaflops cumulated peak performance

First experiences configuring a perfSONAR mesh in an PRA R.Niederberger, London, UK, 05.06.2019


Getting things together

- Prace partners are connected to each other via a MD-VPN provided by GÉANT allowing fast access between HPC systems.
- Firewalls may be implemented in between, but a "Net of Trust" idea doesn't necessitate this.
- But what about bandwidth?
- Achieving optimal end-to-end performance is a multi-faceted problem including:
 - Appropriate network capacity provisioning between the end sites
 - Properties of the local campus network (at each end), including capacity of the external connectivity, internal LAN design, the performance of firewall / IDS devices, and the configuration of other devices on the path
 - ▶ End system configuration and tuning; network stack buffer sizes, disk I/O, ...
 - ▶ The choice of tools used to transfer data, e.g. scp, Globus, rsync, Aspera, ...
- ► To optimise end-to-end performance, you need to address each aspect
- ► Nevertheless, there will inevitably be a bottleneck somewhere



PRACE MDVPN Network overview






Types of connectivity

Links from partner sites to the PRACE VPN on GÉANT infrastructure to the SDP can be implemented


- as VLAN on the existing site links via their NRENs to GÈANT (type 1) or
- as dedicated links (type 2) dependend on the potential of the local NRENs, i.e. availability of VLAN technology, overprovisioned NREN bandwidth, capacity of other PRACE partners link to the local NREN, ...

PRACE/HBP



First experiences configuring a perfSONAR mesh in an PRACE MDVPN environment R.Niederberger, London, UK, 05.06.2019

The logical PRACE network view



Why perfSONAR and why a mesh configuration


- PRACE has a network monitoring system based on iperf and a self-developed client-server infrastructure since the beginning.
- Over the years systems came and left, including admins, so that adaptations to the software and education of personal had been necessary, often again and again.
- Furthermore long running iperf servers led to measurement outages, because of undefined server stati (hanging).
- ► Configuration of iperf servers, cronjobs, checking of logs, etc. time consuming.
- Admins not well prepared for network optimizations, since network personal not "PRACE" related.
- So a network tool, independent of HPC admin work and only network related, would help a lot.

PRACE perfSONAR usage – the original idea

- PerfSONAR systems at any location with adequate interface connection,
 i.e. similar to local HPC system
- Advantages:
 - Independent of HPC system
 - Optimized configuration
 - ► No influence on performance of/on HPC system
- Disadvantages:
 - Further system needed (costs, interfaces, administration, security)



The PRACE perfSONAR mesh



PRACE perfSONAR status

- Several systems have been installed at different partner sites
- E.g. in Jülich several systems have been prepared
 - a) An old standalone 19" rack system with 10 Gb/s interface card
 - b) the standard judac server system (DTN) (100 Gb/s interface card)
 - c) A Maddash server system for
 - *a)* controlling test schedules and
 - *b)* collecting test results as well as
 - *a web frontend system for presenting results to PRACE users*
- Other partners installed dedicated systems or virtual systems with dedicated or shared interfaces



The current PRACE perfSONAR Dashboard

	MaDDash - Monitoring and Debug: X + ×			
	← → C ŵ ① ▲ https://maddash.prace.fz-juelich.de/maddash-webui/index.cgi?dashboard=Dashbo: ···· ♡ ★ III\ ① ③ ■			
	🌣 Meistbesucht 💩 Erste Schritte 🕟 Vorgeschlagene Sites 🖨 Web Slice-Katalog 💿 Institutswegweiser 🔤 8mm PP 760daN Poly			
	PRACE perfSONAR Dashboard			
	E Dashboards ≅ Reports ♦ Settings			
	Last page refresh time: Juni 04, 2019 09:09:32 vorm. Mitteleuropäische Sommerzeit Dashboard 1 Dashboard			
	Dashboard 1 - Dashboard 1 - latency_task - Loss			
	Loss rate is <= 0.001% Loss rate is > 0.001% Loss rate is >= 0.1% Unable to find test data Check has not run yet			
	Found a total of 1 problem involving 1 host in the grid			
	beet in 2 jue 1 kinut			
	it4i1 juel1 i i i i i i i i i i i i i i i i i i i			
	juel2			
Average throughput is 2.665 Gbps	Dashboard 1 - Dashboard 1 - throughput_task - Throughput			
Average throughput is 1.718 Gbps	Throughput >= 1Gbps Throughput < 1Gbps Throughput <= .5Gbps Unable to find test data Check has not run yet			
Average throughput is 1.7 to Obps	Event a total of 1 problem involving 1 host in the grid			
	Average throughput is 6.445 Gbps			
	Average throughput is 6.046 Gbps			
	kifus and a second s			
Average throughput is 3.942 Gbps				
	More information on MaDDash available here			
Average throughput is 1.184 Gbps	•			

juel1 to kifu1 (Throughput)

Queries an esmond MA for throughput data and alerts on response

Status: WARNING Last Checked: Juni 04, 2019 12:05:27 nachm. Mitteleuropäische Sommerzeit Next Check: Juni 04, 2019 16:05:27 nachm. Mitteleuropäische Sommerzeit

Summary History Check Details	1				
Current Status: WARNING Result of last check: WARNING Message For Current Status: Average throughput is 0.892Gbps Reports: No reports found for this check Events:					
Name No events currently scheduled.	Description	Start	End	Check Down	
 Statistics 					
 ✓ Graph 					
perfSONAR test results - document	mentation			C Share/open in new window	
Source		Destination	Report range		
perfsonar-prace.fz-juelich.de 134.94.115.220		perfsonar-prace.vh.hbone.hu 193.224.66.201		- >	
Host info ~		Host info ~		to Tue 06/04/2019	
			14:38:42 (GMT+2)	14:38:42 (GMT+2)	
Tput (TCP) Tput (UDP)	Loss (UDP) Loss (one way) Loss (tt)	Retrans Latency (one way) Latency (rtt)		Forward — Reverse Failures •	
1.06 (bdd) 1.06 800M - dug 000M - 0.0 - 0.0 -					
- 250 - 250 - 250 - 250 - 200 - 210 - 210 - 210 - 200 -			Λ.		
Page 129			12 PM Jm 02 12 PM	Mon 03 12 PM Tue 04 12 PM	
Wed 23	12 PM Thu 30 12 PM	Fri 31 12 PM June	12 PM Jun 02 12 PM	Mon 03 12 PM 1	

First experiences configuring a perfSONAR mesh in an PRACE MDVPN environment R.Niederberger, London, UK, 05.06.2019

www.prace-ri.eu

Last page refresh time: Juni 04, 2019 14:38:41 nachm. Mitteleuropäische Sommerzeit



- Testpoint Installation has been very easy
- Config from maddash central server
- ▶ It is not clear, when new mesh-pschedul.json files are really made active.
- Logging tells:
 - "... msg=Configuration file change detected, refreshing records.", but sometimes nothing happens.
- ▶ We saw, that
 - new configs worked directly, or
 - needed server restart, or
 - really needed power break
- With one system we had a lot of "NON-STARTER" tasks. New tasks got always deleted after 1 hour.
 Power off was needed



- Esmond and MadDash server installation straight forward
- Configuration of mesh needs a lot of document reading
- Cooking recipes for "standard" installations would help a lot. E.g.
 - how does a standard mesh-psched.json file look like
 - Which processes have to be started
 - Where to look for error messages, if
 - ▶ tasks don't run,
 - clients don't log,
 - results are not stored in esmond,
 - results are not displayed in MadDash
 - Overall, logging is very detailed, but often confusing and required info is missing

Summary of experiences

- A good idea to start user group meetings
- Cookbooks for "standard" installations would be very helpful.
- Stand-alone testpoints work very well (when command line tools are used)
- **•** Establishing more complex installations cannot be done on the fly.
 - Needs a lot of reading, configuring and managing
 - Needs hand-in-hand collaborative work between test point and maddash admins
- Will provide its full power not for free.
- A lot of insight view is needed, because of complexity of interacting services.



THANK YOU FOR YOUR ATTENTION

